

L Number	Hits	Search Text	DB	Time stamp
1	0	((swivel tilt) near5 (motor camera) and (gesture pointing speech multimodal ) with input and target with acquisition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 13:48
2	4	((swivel tilt) near5 (motor camera) and (gesture pointing speech multimodal ) with input and target with (acquisition redirect\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 13:51
3	8	((swivel tilt) near5 (motor camera) and (gesture pointing speech multimodal ) and target with (acquisition redirect\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 13:58
4	19	((swivel tilt) near5 (motor camera) and target with acquisition and (redirect\$4 moving aiming ) with camera	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 14:03
5	0	((swivel tilt) near5 (motor camera) and target with acquisition and (redirect\$4 moving aiming ) with camera) and (multimodal gtesture )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 14:00
6	0	((swivel tilt) near5 (motor camera) and target with acquisition and (redirect\$4 moving aiming ) with camera) and (multimodal gtesture )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 14:01
7	0	((swivel tilt) near5 (motor camera) and target with acquisition and (redirect\$4 moving aiming ) with camera) and (multimodal gesture )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 14:03
8	7121	(multimodal gesture )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 14:03
9	1	((multimodal gesture )) and ((swivel tilt) near5 (motor camera) and target with acquisition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 14:04
10	92	((multimodal gesture )) and ((swivel tilt) near5 (motor camera))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 14:04
11	0	(( (multimodal gesture )) and ((swivel tilt) near5 (motor camera) ) and pointing with target	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 14:04
12	21	(( (multimodal gesture )) and ((swivel tilt) near5 (motor camera) ) and pointing same (location object target )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 14:05

13	22	(( (multimodal gesture )) and (swivel tilt) near5 (motor camera) ) and (pointing gesturing) same (location object target )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 14:05
14	0	(((( (multimodal gesture )) and (swivel tilt) near5 (motor camera) ) and (pointing gesturing) same (location object target ) ) and (orienting moving redirecting directing tilting ) with camera with response	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 14:07
15	13	(((( (multimodal gesture )) and (swivel tilt) near5 (motor camera) ) and (pointing gesturing) same (location object target ) ) and (orienting moving redirecting directing tilting ) with camera and response	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 14:12
16	3763	345/862,863,727,716;382/103,255,286,293,311,312;348/169.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 14:13
17	2	345/862,863,727,716;382/103,255,286,293,311,312;348/169.ccls. and (redirecting orienting moving) with camera and swivel near4 camera	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 14:14



## Web Results 11 - 19 of about 23 for **swivel camera pointing OR orienting OR moving OR redirecting target multimodal input**

### [PDF] ATLANTIC

File Format: PDF/Adobe Acrobat

... It also included responding to two surveys in 2002 that provided **input** to the ... Modern technology enables communications both into and out of the **moving** vehicle. ...

[www.crt.umontreal.ca/atlantic/pdf/2-2Final.pdf](http://www.crt.umontreal.ca/atlantic/pdf/2-2Final.pdf) - [Similar pages](#)

### [PDF] NEURONAL ACTIVITY IN THE NUCLEUS ACCUMBENS IS NECESSARY FOR ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... to a dual channel liquid **swivel** (Instech, Plymouth ... an Olympus Magnafire Digital CCD **camera** (Model S99806 ... both probe placements within the **target** regions (mPFC ...

[www.psy.ohio-state.edu/bruno/PDF%20files/incentive%20salience%2004.pdf](http://www.psy.ohio-state.edu/bruno/PDF%20files/incentive%20salience%2004.pdf) - [Similar pages](#)

### [PDF] topics 01/04

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Augmented Reality Employing Consistent Illumination A consistent **input/simulation/representation** pipeline on the one hand, and a geometrically reconstructed ...

[www.ingraphics.net/press/topics/2004/issue1/Topics1\\_2004.pdf](http://www.ingraphics.net/press/topics/2004/issue1/Topics1_2004.pdf) - [Similar pages](#)

### [doc] "Should we try to persuade people to avoid using cars – How

File Format: Microsoft Word 2000 - [View as HTML](#)

... will also feed in as **input** into further work ... transmit images, and therefore the **camera** is rarely ... this shows that decision-makers could **target** user-requirements ...

[www.cybercars.org/docs/D1Part1-UserNeed.doc](http://www.cybercars.org/docs/D1Part1-UserNeed.doc) - [Similar pages](#)

### [PDF] CEN Published Standards.xls

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... in Europe MSA CWA 14536:2002 Functional Specification of an Open **Multimodal** Tracking & ... air heaters for space heating not exceeding a net heat **input** of 300 kW ...

[www.msa.org.mt/standards/CEN%20PUBLISHED%20STANDARDS.pdf](http://www.msa.org.mt/standards/CEN%20PUBLISHED%20STANDARDS.pdf) - [Similar pages](#)

### [PDF] PATENTS

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. Supplement to the AUSTRALIAN OFFICIAL JOURNAL OF PATENTS The Australian Official Journal of Patents (Supplement) is part ...

[pericles.ipaustralia.gov.au/ols/epublish/content/olsPDFDownload.jsp?pdfJournalId=104](http://pericles.ipaustralia.gov.au/ols/epublish/content/olsPDFDownload.jsp?pdfJournalId=104) - [Similar pages](#)

### [PDF] Is it working?

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... World Wide Web, the Community Research for AT project solicited **input** from 50 ... mental retardation or mental illness and has succeeded in **moving** many individuals ...

[www.atnet.org/CR4AT/PositionPapers/Is%20It%20Working-book.pdf](http://www.atnet.org/CR4AT/PositionPapers/Is%20It%20Working-book.pdf) - [Similar pages](#)

### [PDF] The Patent and Designs Journal 5893

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... working days. If, in exceptional circumstances, we cannot meet this **target**, we will explain why and give you a new deadline. If ...

[www.patent.gov.uk/patent/notices/journals/2002/5893.pdf](http://www.patent.gov.uk/patent/notices/journals/2002/5893.pdf) - [Similar pages](#)

### [PDF] Speed Limits and Enforcement

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... work will be extended, with additional resources being directed at **target** groups to ... in May 2000, with the theme "keeping Bracknell Business **Moving**", and has a ...

[www.bracknell-forest.gov.uk/pdf/planning/ltp2000/Chapter%207.pdf](http://www.bracknell-forest.gov.uk/pdf/planning/ltp2000/Chapter%207.pdf) - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 19 already displayed.*

*If you like, you can repeat the search with the omitted results included.*



Result Page: [Previous](#) [1](#) [2](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

Find: [Documents](#)[Citations](#)

Searching for PHRASE **swivel camera pointing orienting moving redirecting target**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

500 documents found. Only retrieving 250 documents (System busy - maximum reduced). Order: relevance to query.

[Describing Motion for Recognition - Little, Boyd \(1995\) \(Correct\) \(20 citations\)](#)

of images of a **moving** figure, taken by a static **camera**, and derive dense optical flow data for the from the motion of the centroid of the **moving points** (assuming a static background)to the integral Abstract Our goal is to describe motion of a **moving** human figure in order to recognize individuals by vision.ucsd.edu/~jeffboyd/papers/scv95.ps.gz

[Segment-Based Structure from an Imprecisely Located Moving.. - Mart'inez Zhang \(1995\) \(Correct\) \(2 citations\)](#)

Structure from an Imprecisely Located **Moving Camera** J.M. Mart'inez Z. Zhang L. Montano was proposed in [8]although they proposed to use **points** and lines, but not an specific treatment for line stereo. The proposed method improves 3D segment **orientation** computation and reduces the number of www.cps.unizar.es/~josemari/iscv95.ps.gz

[Topological Maps for Visual Navigation - Santos-Victor, Vassallo, Schneebeli \(Correct\)](#)

visual-based indoors navigation based on a single **camera** that provides the required visual feedback and velocity, detecting obstacles, going to a **point**, etc. Although vision can provide a rich to the environment. Once the robot position and **orientation** are known, a suitable trajectory is defined ftp.ele.ufes.br/pub/publications/papers/Hans/99-icvs.ps.gz

[A high Precision Laser Alignment Monitoring System for HERMES .. - Shibata Sakemi \(Correct\)](#)

of a He-Ne laser, Fresnel zone plates, CCD **cameras**, and electronics to read out the image. It length so that the laser beam is focussed at a xed **point** where the CCD **camera** is located. Five types of a He-Ne laser light source, Fresnel zone plates, **moving** mechanisms for the Fresnel zone plates, CCD dxhra1.desy.de/notes/pub/98-LIB/sakemi.98.007.ps.gz

[Large Accurate Internal Camera Calibration using Rotation with.. - Stein \(Correct\)](#)

Large Accurate Internal **Camera** Calibration using Rotation with Analysis of ftp.ai.mit.edu/pub/users/gideon/papers/iccv95-error-analysis.ps.Z

[A Modular Low-Cost Active Vision Head - Fellenz, Hartmann \(Correct\)](#)

a separate pan-tilt unit and two integrated CCD-**cameras** mounted on a vergence platform allows the agents which can be used at the next higher level. **Pointers** show the flow of information between modules at and feedback Sensoric input kinematic **oriented** repr. RS-232 protocol position, pan, tilt www.mth.kcl.ac.uk/~fellenz/WWW/stereo\_big.ps.gz

[Planning Referential Acts for Animated Presentation Agents - André, Rist \(Correct\)](#)

attention to graphical object representations by **pointing** with body parts, and additional devices such as of the **pointing** gesture, the system considers the **orientation** of the vector from the Persona to the **target** alternatives via linguistic means (cf. 7]When **moving** from language discourse to a multimedia ftp.dFKI.uni-sb.de/pub/mm-references/andre.ps.gz

[Active Motion Detection and Object Tracking - Denzler, Paulus \(1994\) \(Correct\) \(1 citation\)](#)

parameters and by a positional change of the **camera** mounted on a robot's hand. With a combination of near the snake -the snake will collapse to one **point**, and therefore it is sufficient to do a coarse between control and vision modules. Object-oriented programming hides hardware details. 1. www5.informatik.uni-erlangen.de/TEx/Literatur/ps-dir/1994/Denzler94:AMD.ps.gz

[Multiple Vehicle Detection and Tracking in Hard Real Time - Betke, Haritaoglu, Davis \(1996\) \(Correct\) \(11 citations\)](#)

and tracking objects in images taken by a **moving camera** (or a fixed **camera** carried by a **moving car**) is the potential object marked by the four corner **points** in the image. If the correlation yields a high from sequences of gray-scale images taken from a **moving** car in hard real time. Recognition is www.cs.bc.edu/~betke/research-group/UMD-tech-report-834.ps.gz

[Fixation simplifies 3D motion estimation - Daniilidis \(1997\) \(Correct\) \(1 citation\)](#)

eference copy of the fixational rotation of the **camera**. Performance of the algorithm is tested on real the gaze direction towards the same environmental **point** through time. It was proven in the past that

P. Bouthemy, and F. Chaumette. Active **camera self-orientation** using dynamic image parameters. In Proc. www.cis.upenn.edu/~kostas./fixation.ps.gz

Optimal Manipulation Strategies For Orienting Planar.. - Chen, Hung, Ierardi (1994) (Correct)  
of the part remains: the actual location of the **point of contact** of the part along the face of the usc.edu/pub/csinfo/tech-reports/papers/94-597.ps.Z

Techniques for Fisheye Lens Calibration using a Minimal - Number Of Measurements (Correct)  
the fisheye lens and CCD **camera** were mounted on a **swivel**, which could report the angle of its **swivel**. The is able to see half of the world. It can give a **camera** a complete view of 180 along the horizon and 180 of 180 along the horizon and 180 vertically when **pointed** forward. However, this supreme view of the world www.mundhenk.com/research/fisheye\_man.pdf

Jack Software Feature Improvements Quarterly Report - Norman Badler Pei-Hwa (Correct)  
and shoulder position the elbow is still free to **swivel** about an axis from the shoulder to the wrist. joint at the elbow. Since a goal position and orientation for the hand specifies six constraints, the [2] X. Zhao, D. Tolani, B. Ting. Simulating Human **Movements** Using Optimal Control, Proceedings of the ftp.cis.upenn.edu/pub/graphics/ho/HEL.ps.Z

The View-Graph Approach to Visual Navigation and.. - Mallot, Franz.. (1997) (Correct) (5 citations)  
We use a 360 ffi imaging device consisting of a **camera pointing** upwards and a conic mirror mounted on the current "home-vector" coordinates of starting **point**) is represented, not the entire path. ffi error accumulation is a problem, the use of global orientation information (compasses"e.g.distant www.cog.brown.edu/mpik-mirror/people/personal/bs./papers/icann97.ps.gz

Mosaicing with Generalized Strips - Rousso, Peleg, Finci (1997) (Correct) (2 citations)  
the objects in the scene are distant from the **camera**, and **camera** motion could be modeled as a which is **moving** to the left. The Optical Flow **points** to the right, and vertical strips are collected. mosaic. In the simple case of a **camera** which is **moving** horizontally, vertical sections are usually taken www.cs.huji.ac.il/papers/IP/IUW97/general-mosaics.ps.gz

A Bayesian Computer Vision System for Modeling Human.. - Oliver, Rosario, Pentland (1999) (Correct) (38 citations)  
2 System Overview Our system employs a static **camera** with wide field-of-view watching a dynamic into 'atomic' behaviors such as, for example, a **pointing** gesture or a car turning left. However, there are satisfied. For each agent the position, orientation and velocity is measured, and from this data drew.www.media.mit.edu/~nuria/authoring/..humanBehavior/icvs99.ps.gz

A Feedback Mechanism for Query by Navigation - Berger, van der Weide (1995) (Correct) (1 citation)  
In terms of the previous example, at some **point** in time a possible interest in Paris may be with its structuring, comprises the Hyperindex. **Moving** from the Hyperbase to the Hyperindex is called is, say, Rome. We shall call this probability the **target** probability. Consider the situation where the ftp.cs.kun.nl/pub/SoftwEng.InfSyst/articles/FeedbackQBN.ps.Z

An Intelligent Observer - Becker Gonz'alez-Ba (1995) (Correct) (6 citations)  
by a human operator. The robot carries one or more **cameras** which allow it to track objects while at the is to remain in view of a **moving target** at each **point** in time. Since the **target** motion is not known in up each edge. The slopes of these lines yield the **orientation** of the landmark their intersection **points** robotics.stanford.edu/~hhg/doc/iser95/iser95.ps.gz

Geometry and Algebra of Multiple Projective Transformations - Heyden (1995) (Correct) (10 citations)  
case where the images are taken by uncalibrated **cameras**, making it possible to reconstruct the object up The minimal cases of two images of seven **points** and three images of six **points** are solved, giving eines Objektes Zwei Perspektiven mit innerer Orientierung, Sitz-Ber. Akad. Wiss.Wien, math. www.maths.lth.se/matematiklth/personal/andersp/publ/dissabs.ps

Dynamic Registration Correction in Video-Based Augmented.. - Bajura, Neumann (1995) (Correct) (17 citations)  
see-through AR system uses head-mounted video **cameras** to view the real world and inserts the virtual Registration can be made exact for one or more **points** in every combined image if a small video delay usc.edu/pub/graphics/papers/cga.ps

Documents 21 to 40 [Previous 20](#) [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer - Copyright [NEC](#) and [IST](#)

<http://citeseer.ist.psu.edu/cs?qb=dbnum%3D1%2Cstart%3D20%2Cao%3DCitations%2Cam%3D20%2Caf%3...> 8/27/04